CIF Concussion Return to Play (RTP) Protocol

CA STATE LAW AB 2127 (Effective 1/1/15) STATES THAT RETURN TO PLAY (I.E., COMPETITION) <u>CANNOT BE SOONER</u> THAN 7 DAYS <u>AFTER</u> EVALUATION <u>BY A PHYSICIAN</u> (MD/DO) WHO HAS MADE THE DIAGNOSIS OF CONCUSSION.

Instructions:

- This graduated return to play protocol <u>MUST</u> be completed before you can return to FULL COMPETITION.
 - A certified athletic trainer (AT), physician, or identified concussion monitor (e.g., coach, athletic director), must initial each stage after you successfully pass it.
 - Stages I to II-D take a *minimum* of 6 days to complete.
 - \circ $\;$ You must be back to normal academic activities before beginning Stage II.
 - You must complete one full practice without restrictions (Stage III) before competing in first game.
- After Stage I, you cannot progress more than one stage per day (or longer if instructed by your physician).
- If symptoms return at any stage in the progression, IMMEDIATELY STOP any physical activity and follow up with your school's AT, other identified concussion monitor, or your physician. In general, if you are symptom-free the next day, return to the previous stage where symptoms had not occurred.
- Seek further medical attention if you cannot pass a stage after 3 attempts due to concussion symptoms, or if you feel
 uncomfortable at any time during the progression.

You must have written physician (MD/DO) clearance to begin and progress through the following Stages as outlined below (or as otherwise directed by physician).						
Date & Initials	Stage	Activity	Exercise Example	Objective of the Stage		
	I	No physical activity for at least 2 full symptom-free days <u>AFTER</u> you have seen a physician	No activities requiring exertion (weight lifting, jogging, P.E. classes)	Recovery and elimination of symptoms		
	II-A	Light aerobic activity	 10-15 minutes of walking or stationary biking Must be performed under direct supervision by designated individual 	 Increase heart rate to no more than 50% of perceived max. exertion (e.g.,< 100 beats per minute) Monitor for symptom return 		
	II-B	Moderate aerobic activity Light resistance training	 20-30 minutes jogging or stationary biking Body weight exercises (squats, planks, push-ups), max 1 set of 10, no 	 Increase heart rate to 50-75% max. exertion (e.g.,100-150 bpm) Monitor for symptom return 		
	II-C	Strenuous aerobic activity Moderate resistance training	 more than 10 min total 30-45 minutes running or stationary biking Weight lifting ≤ 50% of max weight 	 Increase heart rate to > 75% max. exertion Monitor for symptom return 		
	II-D	Non-contact training with sport- specific drills No restrictions for weightlifting	 Non-contact drills, sport-specific activities (cutting, jumping, sprinting) No contact with people, padding or the floor/mat 	Add total body movementMonitor for symptom return		
			b beginning Stage III, please make sure th on of Stages I and II, has been given to yo			
		Limited contact practice	Controlled contact drills allowed (no scrimmaging)	 Increase acceleration, deceleration and rotational forces 		
	III	Full contact practice	 Return to normal training (with contact) 	Restore confidence, assess readiness for return to playMonitor for symptom return		
	MANDATORY: You must complete at least ONE contact practice before return to competition. (Highly recommend that Stage III be divided into 2 contact practice days as outlined above.)					
	IV	Return to play (competition)	Normal game play	Return to full sports activity without restrictions		

Date of Concussion Diagnosis:



Concussion Information Sheet



Why am I getting this information sheet?

You are receiving this information sheet about concussions because of California state law AB 25 (effective January 1, 2012), now Education Code § 49475:

- 1. The law requires a student athlete who may have a concussion during a practice or game to be removed from the activity for the remainder of the day.
- 2. Any athlete removed for this reason must receive a written note from a medical doctor trained in the management of concussion before returning to practice.
- 3. Before an athlete can start the season and begin practice in a sport, a concussion information sheet must be signed and returned to the school by the athlete and the parent or guardian.

Every 2 years all coaches are required to receive training about concussions (AB 1451), as well as certification in First Aid training, CPR, and AEDs (life-saving electrical devices that can be used during CPR).

What is a concussion and how would I recognize one?

A concussion is a kind of brain injury. It can be caused by a bump or hit to the head, or by a blow to another part of the body with the force that shakes the head. Concussions can appear in any sport, and can look differently in each person.

Most concussions get better with rest and over 90% of athletes fully recover, but, all concussions are serious and may result in serious problems including brain damage and even death, if not recognized and managed the right way.

Most concussions occur without being knocked out. Signs and symptoms of concussion (see back of this page) may show up right after the injury or can take hours to appear. If your child reports any symptoms of concussion or if you notice some symptoms and signs, seek medical evaluation from your team's athletic trainer and a medical doctor trained in the evaluation and management of concussion. If your child is vomiting, has a severe headache, is having difficulty staying awake or answering simple questions, he or she should be immediately taken to the emergency department of your local hospital.

On the CIF website is a *Graded Concussion Symptom Checklist*. If your child fills this out after having had a concussion, it helps the doctor, athletic trainer or coach understand how he or she is feeling and hopefully shows progress. We ask that you have your child fill out the checklist at the start of the season even before a concussion has occurred so that we can understand if some symptoms such as headache might be a part of his or her everyday life. We call this a "baseline" so that we know what symptoms are normal and common. Keep a copy for your records, and turn in the original. If a concussion occurs, he or she should fill out this checklist daily. This Graded Symptom Checklist provides a list of symptoms to compare over time to make sure the athlete is recovering from the concussion.

What can happen if my child keeps playing with concussion symptoms or returns too soon after getting a concussion?

Athletes with the signs and symptoms of concussion should be removed from play immediately. There is NO same day return to play for a youth with a suspected concussion. Youth athletes may take more time to recover from concussion and are more prone to long-term serious problems from a concussion.

Even though a traditional brain scan (e.g., MRI or CT) may be "normal", the brain has still been injured. Animal and human studies show that a second blow before the brain has recovered can result in serious damage to the brain. If your athlete suffers another concussion before completely recovering from the first one, this can lead to prolonged recovery (weeks to months), or even to severe brain swelling (Second Impact Syndrome) with devastating consequences.

There is an increasing concern that head impact exposure and recurrent concussions contribute to long-term neurological problems. One goal of this concussion program is to prevent a too early return to play so that serious brain damage can be prevented.

Signs observed by teammates, parents and coaches include:					
 Looks dizzy Looks spaced out Confused about plays Forgets plays Is unsure of game, score, or opponent Moves clumsily or awkwardly Answers questions slowly 	 Slurred speech Shows a change in personality or way of acting Can't recall events before or after the injury Seizures or has a fit Any change in typical behavior or personality Passes out 				
Symptoms may include one or more of the following:					
 Headaches "Pressure in head" Nausea or throws up Neck pain Has trouble standing or walking Blurred, double, or fuzzy vision Bothered by light or noise Feeling sluggish or slowed down Feeling foggy or groggy Drowsiness Change in sleep patterns 	 Loss of memory "Don't feel right" Tired or low energy Sadness Nervousness or feeling on edge Irritability More emotional Confused Concentration or memory problems Repeating the same question/comment 				

What is Return to Learn?

Following a concussion, student athletes may have difficulties with short- and long-term memory, concentration and organization. They will require rest while recovering from injury (e.g., avoid reading, texting, video games, loud movies), and may even need to stay home from school for a few days. As they return to school, the schedule might need to start with a few classes or a half-day depending on how they feel. They may also benefit from a formal school assessment for limited attendance or homework such as reduced class schedule if recovery from a concussion is taking longer than expected. Your school or doctor can help suggest and make these changes. Student athletes should complete the Return to Learn guidelines and return to complete school before beginning any sports or physical activities. Go to the CIF website (cifstate.org) for more information on Return to Learn.

How is Return to Play (RTP) determined?

Concussion symptoms should be completely gone before returning to competition. A RTP progression involves a gradual, stepwise increase in physical effort, sports-specific activities and the risk for contact. If symptoms occur with activity, the progression should be stopped. If there are no symptoms the next day, exercise can be restarted at the previous stage.

RTP after concussion should occur only with medical clearance from a medical doctor trained in the evaluation and management of concussions, and a step-wise progression program monitored by an athletic trainer, coach, or other identified school administrator. Please see cifstate.org for a graduated return to play plan. [AB 2127, a California state law that became effective 1/1/15, states that return to play (i.e., full competition) must be **no sooner** than 7 days after the concussion diagnosis has been made by a physician.]

Final Thoughts for Parents and Guardians:

It is well known that high school athletes will often not talk about signs of concussions, which is why this information sheet is so important to review with them. Teach your child to tell the coaching staff if he or she experiences such symptoms, or if he or she suspects that a teammate has suffered a concussion. You should also feel comfortable talking to the coaches or athletic trainer about possible concussion signs and symptoms.

References:

- American Medical Society for Sports Medicine position statement: concussion in sport (2013)
- Consensus statement on concussion in sport: the 4th International Conference on Concussion in Sport held in Zurich, November 2012
- <u>http://www.cdc.gov/concussion/HeadsUp/youth.html</u>



Concussion Information Sheet



Please Return this Page

I hereby acknowledge that I have received the Concussion Information Sheet from my school and I have read and understand its contents. I also acknowledge that if I have any questions regarding these signs, symptoms and the "Return to Learn" and "Return to Play" protocols I will consult with my physician.

Student-athlete Name Printed

Student-athlete Signature

Date

Parent or Legal Guardian Printed

Parent or Legal Guardian Signature

Date